Durham Catholic District School Board



Concussion Tool

for

Coaches, Teachers, Parents, Students and Athletic Therapists

To be <u>posted</u> on all elementary and secondary school Health and Safety bulletin boards and Physical and Health Education offices and work stations.

CONCUSSION TOOL

For Coaches, Teachers, Parents, Students and Athletic Therapists

What is a concussion?

A concussion is a brain injury that cannot be seen on routine x-rays, CT scans, or MRIs. It affects the way a person may think and remember things and can cause a variety of symptoms and signs. You do NOT need to lose consciousness to have a concussion.

What causes a concussion?

Any blow to the head, face or neck, or a blow to the body that transmits a force to the head may cause a concussion, e.g., a ball to the head in soccer, being checked into the boards in hockey.

What are the symptoms and signs of a concussion?

Any one or more of the following symptoms and signs may suggest a concussion:

	Symptoms Reported:		Signs Observed:
Physical	HeadacheNeck painStomach acheBlurred vision	 Pressure in head Dizziness Nausea Sensitivity to light/noise 	 Loss of consciousness Nausea/vomiting Seizure/convulsion Poor coordination/balance Amnesia Slowed reaction tim Slurred speech
Cognitive	Feeling in a fogDifficulty concentrating	Difficulty remembering	 Difficulty concentrating Difficulty remembering Confusion Slowed reaction time
Behavioural	IrritabilitySad/emotional	Nervous/anxiousDepressed	Inappropriate emotionsDepression
Sleep	 Drowsiness 	Difficulty falling asleep	• Drowsiness

Note: It may be more difficult for students under the age of 10, those with special needs or students for whom English or French is not their first language, to communicate how they are feeling. The signs of a concussion for younger students may not be as obvious.

Action plan: What to do if you suspect a student has a concussion

If the student is **unconscious**:

- Initiate the Emergency Action Plan and call 911.
- Assume a possible neck injury and, only if trained, immobilize the student before EMS arrives.
- Do not move the student or remove athletic equipment; wait for EMS to arrive.
- Do not leave the student alone.
- · Contact the student's parent/guardian.

If the student is **conscious**:

- Stop the activity immediately.
- When the student can be safely moved, remove from activity.
- Conduct an initial concussion assessment review Symptoms and Signs, perform Memory Testing and Balance Testing (optional).
 - i. Following the initial assessment, if a concussion is suspected:
 - Do not allow the student to return to activity.
 - Contact the student's parent/guardian to pick up student.
 - Stay with the student until parent/guardian arrives.
 - If any signs or symptoms worsen, call 911.
 - Inform the parent/guardian that the student needs to be examined by a medical doctor or nurse practitioner as soon as possible and provide them with a copy of this tool.

ii. Following the initial assessment, if a concussion is not suspected:

- The student may return to activity.
- Contact the student's parent/guardian to inform them of the incident.
- Provide the parent/guardian with a copy of this tool and inform them that the student should be monitored for 24-48 hours since signs and symptoms may take hours or days to emerge.

Memory Testing

Failure to answer any one of these questions correctly may suggest a concussion.

- What activity/sport are we playing right now?
- What field/facility are we at today?
- What part of the day is it?
- What is the name of your teacher/coach?
- What school do you go to?

Note: Questions should be geared to student's age and activity.


Balance Testing (OPTIONAL)

Instructions for tandem stance

Ask the student to stand heel-to-toe with non-dominant foot in back. Weight should be evenly distributed across both feet.

Student should try to maintain stability for 20 seconds with hands on hips and eyes closed. Count the number of times the student moves out of this position. If student stumbles out of this position, have student open his/her eyes and return to the start position and continue balancing. Start timing when student is set and has eyes closed.

Observe the student for 20 seconds. If the student makes errors (e.g. lifts hands off hips; opens eyes; lifts forefoot or heel; steps, stumbles, or falls; or remains out of the start position for more than 5 seconds), this may suggest a concussion. SCAT 2 2009



Please post on all elementary and secondary school Health and Safety bulletin boards and Physical and Health Education offices and work stations.

GUIDELINES FOR STUDENTS RECOVERING FROM A CONCUSSION

It is important for students to be active and play sports. However, a student with a diagnosed concussion needs to follow a medically supervised, individualized Return to Learn/Return to Physical Activity Plan.

Return to Learn and Return to Physical Activity

Step 1 for a student with a diagnosed concussion is the same for Return to Learn and Return to Physical Activity.

Step 1: Rest, with limited cognitive and physical activity. This means limited TV, computer, texting, video games, or reading. The student does not attend school during Step 1. Step 1 continues for a minimum of 24 hours and until the student's symptoms/signs begin to improve or the student is symptom/sign-free.



Return to Learn*

The Return to Learn process is individualized and gradual to meet the particular needs of the student. There is no preset formula for developing strategies to assist a student with a concussion to return to his/her learning activities.

Step 2A: (symptoms improving)

During this step, the student requires individualized classroom strategies and/or approaches to return to full learning activities – these will need to be adjusted as recovery occurs.

At this step, the student's cognitive activity should be increased slowly (both at school and at home) because the concussion may affect his/her academic performance.

Note: Cognitive activities can cause a student's concussion symptoms to reappear or worsen.

Step 2B: (symptom-free)

Student begins regular learning activities without any individualized classroom strategies and/or approaches. Even when students are symptom-free, they should continue to be closely monitored to see if symptoms/signs return and/or there is a deterioration of work habits or performance.

Note: This step occurs at the same time as Step 2 – Return to Physical Activity. Some students may progress from Step 1 directly to Step 2B if they are symptom-free.

Return to Physical Activity

Step 2:

Individual, light aerobic physical activity only such as walking or stationary cycling.

Step 3:

Individual activity related to specific sports, e.g., skating in hockey, running in soccer. No body contact.

Step 4:

Activities where there is no body contact, such as progressive resistance training, non-contact practice and progression to more complex training drills, e.g., passing drills in football and ice hockey.

Note: Clearance by a medical doctor or nurse practitioner is required before Step 5.

Step 5:

Full participation in regular physical activity in non-contact sports following medical clearance. Full training/practice for contact sports.

Step 6:

Full participation in contact sports.

Note: Steps are not days. Each step must take a minimum of 24 hours and the length of time needed to complete each step will vary based on the severity of the concussion and the child/youth.

If at any time concussion signs and/or symptoms return and/or deterioration of work habits or performance occurs, the student needs to be examined by a medical doctor or nurse practitioner.

For more information on concussions visit:

Concussions Ontario: www.concussionsontario.org Ophea: safety.ophea.net

Parachute: www.parachutecanada.org/active-and-safe
Ontario Government: www.ontario.ca/concussions

* Reproduced with permission from Ophea, Ontario Physical Education Safety Guidelines (updated annually)

Developed based on tools in the literature including the International Consensus Statement on Concussion in Sport (2013) and the ThinkFirst concussion tool.

This tool has been reviewed by the Parachute/ThinkFirst Canada Concussion Education and Awareness Committee and the Recognition and Awareness Working Group, part of the mTBI/Concussion Strategy, of the Ontario Neurotrauma Foundation who funded the development of this tool.



Request to Resume Academic (Return to Learn) and/or Physical Activities Due to Concussion Related Injuries Form

The following student is suspected of having a concussion. He/She must seek a diagnosis from a medical doctor or nurse practitioner before resuming physical activities. If diagnosed as having a concussion, progression through Steps 1-6 (Guidelines For Students Recovering From A Concussion-see page 3 attached), including a second examination by a medical doctor or nurse practitioner is required prior to resuming full physical activities.

Student and Incident Information

(To be filled out by the school in a timely fashion. The student's medical needs are priority).

School:				
Student Name:	Date of Birth (Month-Day-Year):			
Date of Incident:	Time of Incident:			
Location of Incident:				
Description of Incident/Circumstances Causing Suspected Concussion: If there is a loss of consciousness initiate the Emergency Action Plan and call 911 (see Concussion Tool). Assume a possible neck injury, and, only if trained, immobilize the student before EMS arrives. Do not move the student or remove athletic equipment; wait for EMS to arrive.				
Description of Symptoms:				
Principal Signature:	Date:			

Note A: Completed copy of above is stored in student's OSR and one copy given to parent/guardian.

Form 6003 (01/15) Page 1 of 4

Medical Doctor Visit #1

Note to medical doctor or nurse practitioner: Please indicate and sign the box on the left (no concussion) or right (concussion).

No concussion – student may return to: Regular physical education classes Intramural activities/clubs Interschool sport activities	Concussion – no activity until symptoms and signs have gone. Student is to complete Steps 1-6 as noted on the Guidelines For Students Recovering From a
Medical doctor or nurse practitioner: Signature: Date:	Concussion, on the following page. Medical doctor or Nurse practitioner signature required below and following page Medical doctor or nurse practitioner: Signature: Date:
Medical doctor or nurse practitioner's instructions:	Medical doctor or nurse practitioner's instructions:

Note B: The student/parent/guardian must show this form to the principal, who will inform all teaching staff of the school and provide a copy of this form to the student's classroom teachers, coaches and other relevant personnel. This form signed by medical doctor or nurse practitioner is to be filed in the student's OSR.

Note C: If concussion is diagnosed the student and parents/guardians monitor symptoms and signs of the concussion. Ongoing communication between the teacher/coach throughout Steps 1-6 (on the following page) is essential.

This completed form is to be kept in the student's OSR

Form 6003 (01/15) Page 2 of 4



Guidelines for Students Recovering from a Concussion

It is important for students to be active and play sports. However, a student with a diagnosed concussion needs to follow a medically supervised, individualized Return to Learn/Return to Physical Activity Plan.

Return to Learn and Return to Physical Activity

Step 1 for a student with a diagnosed concussion is the same for Return to Learn and Return to Physical Activity.

Step 1 – Rest, with limited cognitive and physical activity. This means limited TV, computer, texting, video games or reading. The student does not attend school during Step 1. Step 1 continues for a minimum of **24 hours** and until the student's symptoms/signs begin to improve or the student is symptom/sign-free.

Return to Learn

The Return to Learn process is individualized and gradual to meet the particular needs of the student. There is no present formula for developing strategies to assist a student with a concussion to return to his/her learning activities.

Step 2A (symptoms improving) – During this step, the student requires individualized classroom strategies and/or approaches to return to full learning activities – these will need to be adjusted as recovery occurs.

At this step, the student's cognitive activity should be increased slowly (both at school and at home) because the concussion may affect his/her academic performance. Note: Cognitive activities can cause a student's concussion symptoms to reappear or worsen.

Step 2B (symptom-free) – Student begins regular learning activities without any individualized classroom strategies and/or approaches. Even when students are symptom-free, they should continue to be closely monitored to see if symptoms/signs return and/or there is a deterioration of work habits or performance. Note: This step occurs at the same time as Step 2 – Return to Physical Activity. Some students may progress from Step 1 directly to Step 2B if they are symptom-free.

Return to Physical Activity

- **Step 2** Individual, light aerobic physical activity only such as walking or stationary cycling.
- **Step 3** Individual activity related to specific sports, e.g., skating in hockey, running in soccer. No body contact.
- **Step 4** Activities where there is no body contact, such as progressive resistance training, non-contact practice and progression to more complex training drills, e.g., passing drills in football and ice hockey.

Note: Medical doctor or nurse practitioner signature required here before proceeding to Step 5.			
Signature:	Date:		

Step 5 – Full participation in regular physical activity in non-contact sports following medical clearance. Full training/practice for contact sports

Step 6 – Full participation in contact sports.

Note: Steps are not days. Each step must take a minimum of 24 hours and the length of time needed to complete each step will vary based on the severity of the concussion and the child/youth. If at any time concussion signs and/or symptoms return and/or deterioration of work habits or performance occurs, the student needs to be examined by a medical doctor or nurse practitioner.

Form 6003 (01/15) Page 3 of 4

For more information on concussions visit:

- 1. Concussions Ontario: www.concussionsontario.org
- 2. OPHEA: http://safety.ophea.net
- 3. Parachute: www.parachutecanada.org/active-and-safe
- 4. http://www.youtube.com/parachutecanada
- 5. Ontario Government: www.ontario.ca/concussions
- 6. <u>Sport Concussion Assessment Tool 3rd Edition for Use by Medical Professionals only http://www.sportsconcussion.com</u>
- 7. Ontario Neurotrauma Foundation (O.N.F.) Concussion Tool (used by permission and obtained from Coordinator of the Acquired Brain Injury unit of the O.N.F. May 2, 2014)

Reproduced with permission from OPHEA, Ontario Physical Education Safety Guidelines (updated annually)

Developed based on tools in the literature including the International Consensus Statement on Concussion in Sport (2013) and the ThinkFirst concussion tool.

This tool has been reviewed by the Parachute/ThinkFirst Canada Concussion Education and Awareness Committee and the Recognition and Awareness Working Group, part of the mTBI/Concussion Strategy, of the Ontario Neurotrauma Foundation who funded the development of this tool.

December 2013

Form 6003 (01/15) Page 4 of 4